ELSEVIER

Journal of Organometallic Chemistry 662 (2002) 195–198

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 662

Aldimines
Direct synthesis of unsaturated β-amino acids, 172
Alkene isomerisation
Synthesis of bis-oxazoline-ruthenium(II)-arene complexes. Combined catalytic isomerisation and Claisen rearrangement of bis-allyl ether, 63
Alkylammonium tetraphenylborates
Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species $[HPd(dppe)_2][BPh_4]$, 112
Alkylidenediphosphorylation
Synthesis of P-chiral enephosphonic acid derivatives, 83
Allyl ether in catalysis
Synthesis of bis-oxazoline-ruthenium(II)-arene complexes. Combined catalytic isomerisation and Claisen rearrangement of bis-allyl ether, 63
Allyl transfer
Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species $[HPd(dppe)_2][BPh_4]$, 112
Aluminium
A new class of linked-bis(*N*,*N*′-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
Amidinate
A new class of linked-bis(*N*,*N*′-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
Amidinate ligands
Synthesis, characterization of homoleptic lanthanide amidinate complexes and their catalytic activity for the ring-opening polymerization of ε-caprolactone, 144
Amidine
A new class of linked-bis(*N*,*N*′-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178

Bidentate ligands
Theoretical studies on the β-hydrogen elimination reactions of palladium and platinum alkoxide complexes containing bidentate ligands, 120
Bimetallic
A new class of linked-bis(*N*,*N*′-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
Bipyridyl
Carbonyl derivatives of iron(0) from the reaction of $FeR_2(bipy)_2$ (R = Me, Et) with carbon monoxide, 137
Bis-oxazoline-ruthenium complexes
Synthesis of bis-oxazoline-ruthenium(II)-arene complexes. Combined catalytic isomerisation and Claisen rearrangement of bis-allyl ether, 63
Bisoxazolines
Cp*rhodium and iridium complexes with bisoxazolines: synthesis, fluxionality and applications as asymmetric catalysts for Diels–Alder reactions, 43
Bond dissociation enthalpy
On the transferability of Ir–I bond enthalpies between $[Ir(\mu\text{-}S^tBu)(I)_2(CO)_2]_2$ and *trans*-$[Ir(X)(I)_2(CO)(PPh_3)_2]$ (X = F, Cl, Br, I) complexes, 105

ε-Caprolactone
Synthesis, characterization of homoleptic lanthanide amidinate complexes and their catalytic activity for the ring-opening polymerization of ε-caprolactone, 144
Carbonyl
Carbonyl derivatives of iron(0) from the reaction of $FeR_2(bipy)_2$ (R = Me, Et) with carbon monoxide, 137
Chiral enephosphorylated derivatives
Synthesis of P-chiral enephosphonic acid derivatives, 83
Chlorosilane
Interactions of chloromethyldisilanes with tetrakis(dimethylamino)ethylene (TDAE), formation of $[TDAE]^{\cdot+}[Si_3Me_2Cl_7]^-$, 14
Chromium
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dppb ligands. Crystal structure of *fac*-$Mo(CO)_3(dppb)(CH_3CN)$, 51
Claisen rearrangement
Synthesis of bis-oxazoline-ruthenium(II)-arene complexes. Combined catalytic isomerisation and Claisen rearrangement of bis-allyl ether, 63
Complexes
Carbonyl derivatives of iron(0) from the reaction of $FeR_2(bipy)_2$ (R = Me, Et) with carbon monoxide, 137
Cp*iridium complexes
Cp*rhodium and iridium complexes with bisoxazolines: synthesis, fluxionality and applications as asymmetric catalysts for Diels–Alder reactions, 43
Cp*rhodium complexes
Cp*rhodium and iridium complexes with bisoxazolines: synthesis, fluxionality and applications as asymmetric catalysts for Diels–Alder reactions, 43
Cp* substituent
Zur Insertion von Decamethylsilicocen in Nickel- und Gold-Chlor-Bindungen, 34
Crystal structure
Synthesis, characterization of homoleptic lanthanide amidinate complexes and their catalytic activity for the ring-opening polymerization of ε-caprolactone, 144
Crystal structures
A new class of linked-bis(*N*,*N*′-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dppb ligands. Crystal structure of *fac*-$Mo(CO)_3(dppb)(CH_3CN)$, 51
Synthesis and molecular structure of the nitride $(L_{OEt})Mo(N)Cl_2$ $[L_{OEt} = (\eta\text{-}C_5H_5)Co\{P(O)(OEt)_2\}_3]$, 59
Cyclopalladation
Regioselective palladation of 2-oxazolinyl-[2.2]paracyclophanes. Synthesis of planar-chiral phosphines, 23

Elsevier Science B.V.
PII: S0022-328X(02)02006-5

Decamethylsilicocene
Zur Insertion von Decamethylsilicocen in Nickel- und Gold-Chlor-Bindungen, 34
Density functional theory
On the transferability of Ir–I bond enthalpies between [Ir(μ-S^{t}Bu)(I)$_2$(CO)$_2$]$_2$ and *trans*-[Ir(X)(I)$_2$(CO)(PPh$_3$)$_2$] (X = F, Cl, Br, I) complexes, 105
Dihydroxydisilanes
Dihydroxyoligosilanes as novel ligands in coordination chemistry—first synthesis of 2,5-dioxa-3,4-disilatitanacyclopentanes, 1
Diphosphorylated carbanions
Synthesis of P-chiral enephosphonic acid derivatives, 83
Disilane
Interactions of chloromethyldisilanes with tetrakis(dimethylamino)ethylene (TDAE), formation of [TDAE]$^{\bullet+}$ [Si$_3$Me$_2$Cl$_7$]$^-$, 14
Disorder
Synthesis and molecular structure of the nitride (L$_{OEt}$)Mo(N)Cl$_2$ [L$_{OEt}$ = (η-C$_5$H$_5$)Co{P(O)(OEt)$_2$}$_3$], 59
Dithiolato metalloligands
New half-sandwich heterobimetallic CpMPt (M = Rh, Ir) dithiolato bridged complexes. X-ray structure of [(PPh$_3$)$_2$Pt(μ-S(CH$_2$)$_2$S)RhCl(η^5-C$_5$H$_5$)]BF$_4$, 188
dppb Ligand
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dppb ligands. Crystal structure of *fac*-Mo(CO)$_3$(dppb)(CH$_3$CN), 51

Electrocatalytic reduction
Electrocatalytic reduction of aldehydes and ketones on nickel(II) tetraazamacrocyclic complex-modified graphite felt electrode, 9
Epoxy alcohols
Regioselective, stereospecific, and chemoselective fluorination of epoxy alcohols: development of fluorinating hybrid reagents, associated with Lewis acid metal fluoride/ammonium hydrogen fluoride, 77
Ethylene oligomerisation
Synthesis, characterisation and catalytic activity of Pd(II) and Ni(II) complexes with new cyclic α-diphenylphosphino-ketoimines. Crystal structure of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclopentylidene)aniline and of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclohexylidene)aniline, 150

Fluorinating hybrid reagents
Regioselective, stereospecific, and chemoselective fluorination of epoxy alcohols: development of fluorinating hybrid reagents, associated with Lewis acid metal fluoride/ammonium hydrogen fluoride, 77
[70]Fullerene
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dppb ligands. Crystal structure of *fac*-Mo(CO)$_3$(dppb)(CH$_3$CN), 51
Functionalized isocyanide
Synthesis, coordination and reactivity of 2-(trimethylsiloxymethyl)phenyl- and 2-(hydroxymethyl)phenyl isocyanides, 70

Heterobimetallic complexes
New half-sandwich heterobimetallic CpMPt (M = Rh, Ir) dithiolato bridged complexes. X-ray structure of [(PPh$_3$)$_2$Pt(μ-S(CH$_2$)$_2$S)RhCl(η^5-C$_5$H$_5$)]BF$_4$, 188
Hexasilanes
Dihydroxyoligosilanes as novel ligands in coordination chemistry—first synthesis of 2,5-dioxa-3,4-disilatitanacyclopentanes, 1
Horner reaction
Synthesis of P-chiral enephosphonic acid derivatives, 83

β-Hydrogen elimination
Theoretical studies on the β-hydrogen elimination reactions of palladium and platinum alkoxide complexes containing bidentate ligands, 120
Hypercoordination
Interactions of chloromethyldisilanes with tetrakis(dimethylamino)ethylene (TDAE), formation of [TDAE]$^{\bullet+}$ [Si$_3$Me$_2$Cl$_7$]$^-$, 14

Imidazolinium salt
Synthesis of bis-oxazoline-ruthenium(II)-arene complexes. Combined catalytic isomerisation and Claisen rearrangement of bis-allyl ether, 63
Iminium tetraphenylborates
Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species [HPd(dppe)$_2$][BPh$_4$], 112
Insertion reactions
Zur Insertion von Decamethylsilicocen in Nickel- und Gold-Chlor-Bindungen, 34
π-Interaction
Zur Insertion von Decamethylsilicocen in Nickel- und Gold-Chlor-Bindungen, 34
Iridium
New half-sandwich heterobimetallic CpMPt (M = Rh, Ir) dithiolato bridged complexes. X-ray structure of [(PPh$_3$)$_2$Pt(μ-S(CH$_2$)$_2$S)RhCl(η^5-C$_5$H$_5$)]BF$_4$, 188
Iridium complexes
On the transferability of Ir–I bond enthalpies between [Ir(μ-S^{t}Bu)(I)$_2$(CO)$_2$]$_2$ and *trans*-[Ir(X)(I)$_2$(CO)(PPh$_3$)$_2$] (X = F, Cl, Br, I) complexes, 105
Iron
Carbonyl derivatives of iron(0) from the reaction of FeR$_2$(bipy)$_2$ (R = Me, Et) with carbon monoxide, 137

Ligands
Reactions of the tetramethylfulvene ligand coordinated to rhenium with hydrohalic acids and halogens: synthesis of dicarbonyl complexes with a 'four-legged piano-stool' structure containing mixed-halide ligands, 130
Linked
A new class of linked-bis(*N*,*N*′-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
Lithium enolates
Direct synthesis of unsaturated β-amino acids, 172

Mediator
Electrocatalytic reduction of aldehydes and ketones on nickel(II) tetraazamacrocyclic complex-modified graphite felt electrode, 9
Methyl complexes
Synthesis, characterisation and catalytic activity of Pd(II) and Ni(II) complexes with new cyclic α-diphenylphosphino-ketoimines. Crystal structure of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclopentylidene)aniline and of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclohexylidene)aniline, 150
Mixed-halide
Reactions of the tetramethylfulvene ligand coordinated to rhenium with hydrohalic acids and halogens: synthesis of dicarbonyl complexes with a 'four-legged piano-stool' structure containing mixed-halide ligands, 130
Modified electrode
Electrocatalytic reduction of aldehydes and ketones on nickel(II) tetraazamacrocyclic complex-modified graphite felt electrode, 9
Molybdenum
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dppb ligands. Crystal structure of *fac*-Mo(CO)$_3$(dppb)(CH$_3$CN), 51
Synthesis and molecular structure of the nitride (L$_{OEt}$)Mo(N)Cl$_2$ [L$_{OEt}$ = (η-C$_5$H$_5$)Co{P(O)(OEt)$_2$}$_3$], 59

Mono-*O*-phenylation
A structural and mechanistic investigation of the mono-*O*-phenylation of diols with $BiPh_3(OAc)_2$, 98

N-Heterocyclic carbene complexes
Synthesis, coordination and reactivity of 2-(trimethylsiloxymethyl)phenyl- and 2-(hydroxymethyl)phenyl isocyanides, 70
Nickel
Synthesis, characterisation and catalytic activity of Pd(II) and Ni(II) complexes with new cyclic α-diphenylphosphino-ketoimines. Crystal structure of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclopentylidene)aniline and of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclohexylidene)aniline, 150
Ni(II) tetraazamacrocyclic complexes
Electrocatalytic reduction of aldehydes and ketones on nickel(II) tetraazamacrocyclic complex-modified graphite felt electrode, 9
Nitride
Synthesis and molecular structure of the nitride $(L_{OEt})Mo(N)Cl_2$ [$L_{OEt} = (\eta\text{-}C_5H_5)Co\{P(O)(OEt)_2\}_3$], 59

Organobismuth
A structural and mechanistic investigation of the mono-*O*-phenylation of diols with $BiPh_3(OAc)_2$, 98
Organolanthanides
Synthesis, characterization of homoleptic lanthanide amidinate complexes and their catalytic activity for the ring-opening polymerization of ε-caprolactone, 144

Palladacycles
Regioselective palladation of 2-oxazolinyl-[2.2]paracyclophanes. Synthesis of planar-chiral phosphines, 23
Palladium
Synthesis, characterisation and catalytic activity of Pd(II) and Ni(II) complexes with new cyclic α-diphenylphosphino-ketoimines. Crystal structure of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclopentylidene)aniline and of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclohexylidene)aniline, 150
Palladium and platinum alkoxide complexes
Theoretical studies on the β-hydrogen elimination reactions of palladium and platinum alkoxide complexes containing bidentate ligands, 120
Paracyclophanes
Regioselective palladation of 2-oxazolinyl-[2.2]paracyclophanes. Synthesis of planar-chiral phosphines, 23
Pd–allyl complexes
Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species $[HPd(dppe)_2][BPh_4]$, 112
Pd–hydrido complexes
Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species $[HPd(dppe)_2][BPh_4]$, 112
Phosphino ketoimines
Synthesis, characterisation and catalytic activity of Pd(II) and Ni(II) complexes with new cyclic α-diphenylphosphino-ketoimines. Crystal structure of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclopentylidene)aniline and of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclohexylidene)aniline, 150
Planar chirality
Regioselective palladation of 2-oxazolinyl-[2.2]paracyclophanes. Synthesis of planar-chiral phosphines, 23
Platinum
New half-sandwich heterobimetallic CpMPt (M = Rh, Ir) dithiolato bridged complexes. X-ray structure of $[(PPh_3)_2Pt(\mu\text{-}S(CH_2)_2S)RhCl(\eta^5\text{-}C_5H_5)][BF_4]$, 188

^{31}P-NMR study
Synthesis of P-chiral enephosphonic acid derivatives, 83
Polymerization
Synthesis, characterization of homoleptic lanthanide amidinate complexes and their catalytic activity for the ring-opening polymerization of ε-caprolactone, 144
Propellers
A structural and mechanistic investigation of the mono-*O*-phenylation of diols with $BiPh_3(OAc)_2$, 98
Proton transfer
Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species $[HPd(dppe)_2][BPh_4]$, 112

Regioselective fluorination
Regioselective, stereospecific, and chemoselective fluorination of epoxy alcohols: development of fluorinating hybrid reagents, associated with Lewis acid metal fluoride/ammonium hydrogen fluoride, 77
Regioselective palladation
Regioselective palladation of 2-oxazolinyl-[2.2]paracyclophanes. Synthesis of planar-chiral phosphines, 23
Rhenium
Reactions of the tetramethylfulvene ligand coordinated to rhenium with hydrohalic acids and halogens: synthesis of dicarbonyl complexes with a 'four-legged piano-stool' structure containing mixed-halide ligands, 130
Rhodium
New half-sandwich heterobimetallic CpMPt (M = Rh, Ir) dithiolato bridged complexes. X-ray structure of $[(PPh_3)_2Pt(\mu\text{-}S(CH_2)_2S)RhCl(\eta^5\text{-}C_5H_5)][BF_4]$, 188

Silicon
Dihydroxyoligosilanes as novel ligands in coordination chemistry—first synthesis of 2,5-dioxa-3,4-disilatitanacyclopentanes, 1
Interactions of chloromethyldisilanes with tetrakis(dimethylamino)ethylene (TDAE), formation of $[TDAE]^{\bullet+}$ $[Si_3Me_2Cl_7]^-$, 14
Silylated
A new class of linked-bis(*N*,*N*′-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
Silyl-transition metal complexes
Zur Insertion von Decamethylsilicocen in Nickel- und Gold-Chlor-Bindungen, 34
Structures
Carbonyl derivatives of iron(0) from the reaction of $FeR_2(bipy)_2$ (R = Me, Et) with carbon monoxide, 137

TDAE
Interactions of chloromethyldisilanes with tetrakis(dimethylamino)ethylene (TDAE), formation of $[TDAE]^{\bullet+}$ $[Si_3Me_2Cl_7]^-$, 14
Tetramethylfulvene
Reactions of the tetramethylfulvene ligand coordinated to rhenium with hydrohalic acids and halogens: synthesis of dicarbonyl complexes with a 'four-legged piano-stool' structure containing mixed-halide ligands, 130
Thermochemistry
On the transferability of Ir–I bond enthalpies between $[Ir(\mu\text{-}S^tBu)(I)_2(CO)_2]_2$ and *trans*-$[Ir(X)(I)_2(CO)(PPh_3)_2]$ (X = F, Cl, Br, I) complexes, 105
Titanacycles
Dihydroxyoligosilanes as novel ligands in coordination chemistry—first synthesis of 2,5-dioxa-3,4-disilatitanacyclopentanes, 1

Titanium
Dihydroxyoligosilanes as novel ligands in coordination chemistry—first synthesis of 2,5-dioxa-3,4-disilatitanacyclopentanes, 1
Transition metal complexes
Synthesis, coordination and reactivity of 2-(trimethylsiloxymethyl)phenyl- and 2-(hydroxymethyl)phenyl isocyanides, 70
Trimethylsilyl butenoates
Direct synthesis of unsaturated β-amino acids, 172
Tungsten
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dppb ligands. Crystal structure of *fac*-$Mo(CO)_3$(dppb)(CH_3CN), 51
Zinc bromide
Direct synthesis of unsaturated β-amino acids, 172